- QUALITY
- SERVICE
- RELIABILITY



FLASHLIGHTS & WORKING LAMPS

BRIGHTER | MORE ROBUST | MORE HANDY





Power LED Flashlights



- Latest LED technology
 - High luminosity and brightness, extensive lighting range
 - · Almost white light
 - · Long life LED
 - 10 year functional guarantee on all PROLumax Flashlights with Cree®-, SMD®- and COB®-LED-technology
- High-quality workmanship and materials
 - Made of sturdy, durable and impact-resistant aircraft aluminium or high quality plastic with soft and handy coating
 - All models made of aluminium are impermeable to splash-water, Model PJ500 (Art.-No. 398215) is water and dust resistant at all


- Slim and modern design associated with sophisticated added values
 - No dead weight and easy handling
 - Usable with standard batteries as well as with rechargeable batteries
 - Rechargeable Lithium-Ion batteries (Art.-No. 398250, 398252)
 - Ergonomic, non-slip surface
- Innovative Features
 - Easily operable with gloves and role away protection
 - 2 luminosity levels selectable (not for Art.-No. 398210, 398214, 398250)
 - Model PJ 500 (Art.-No. 398215) continuously dimmable
 - Variable angle of illumination by focusable lens for some models





Cree® Power LED Flashlight PJ500





10 Watt Cree® XM-L2 T6 Power-LED

Lighting range 300 meters

 $\left(\cdot \right)$ Fluorescent time approx. 8 hours*

Continuously dimmable

Ł Impact resistant

IP 67 - water and dust proof

Roll away protection

ON-OFF Backside switch

 \odot 10 year functional guarantee on LED



10 Watt CREE® XM-L2 T6 Power-LED Illuminant:

Material housing: Aluminium, anodized


Black Color: Material reflector: Aluminium Protection class: IP 67

3x C-Cell (including) Battery: 236 x 42 mm Dimensions: Weight: 225 grams

Lifetime of LED: approx. 30.000 hours



Cree® Power LED Flashlight PJ220



5 Watt Cree® XP-G R5 Power-LED

Lighting range 130 meters

 $\left(\cdot \right)$ Fluorescent time approx. 1,5 hours*

Focusable lens

UGHT =Q t 2 luminosity levels

Ł Impact resistant

Splash-water proof IP 54

Roll away protection

- OH-OFF Backside switch

 \odot 10 year functional guarantee on LED

* All data according to ANSI FL1-method of test



Technical Details

Illuminant: 5 Watt CREE® XP-G R5 Power-LED Material housing: Aluminium, anodized Color: Black Material reflector: Aluminium Protection class: IP 54 Battery:

4x AAA (including) Dimensions: 131 x 41 mm Weight: 171 grams

Lifetime of LED: approx. 30.000 hours



Cree® Power LED Flashlight PJ120

PROLUMAX

Luminosity 120 lumen*

3 Watt Cree®-Power-LED

Lighting range 65 meters

Fluorescent time approx. 2,5 hours*

Focusable lens

2 luminosity levels

Impact resistant

Splash-water proof IP 54

Roll away protection

Backside switch

10 year functional guarantee on LED

Technical Details

Illuminant: 3 Watt CREE® white XP-E LED

Material housing: Aluminium, anodized

Color: Black
Material reflector: Aluminium
Protection class: IP 54

Battery: 2x AA (including)
Dimensions: 151 x 29 mm


Weight: 85 grams

Lifetime of LED: approx. 30.000 hours



120 lumen luminosity

Cree® Power LED Flashlight PJ45



3 Watt Cree®-Power-LED

Lighting range 45 meters

Fluorescent time approx. 4,5 hours*

Focusable lens

Impact resistant

Splash-water proof IP 54

Roll away protection

Backside switch

10 year functional guarantee on LED

* All data according to ANSI FL1-method of test



Technical Details

Illuminant: Material housing: Color: Material reflector:

Material reflector: Protection class: Battery: Dimensions:

Weight: Lifetime of LED: 3 Watt CREE® white XP-E LED Aluminium, anodized Black Aluminium

IP 54 1x AA (including) 99 x 25 mm 51 grams

D: approx. 30.000 hours

04 398210



Cree® Power LED **Headlamp PJ100S**





3 Watt Cree®-Power-LED

Lighting range 50 meters

 $\left(\frac{1}{2} \right)$ Fluorescent time approx. 6 hours*

UGHT CQ 1 CQ 2 3 light functions

44 Splash-water proof IP 54

10 year functional guarantee on LED







Material housing:

Illuminant: 1x 3 Watt CREE® XP-E LED

1x Standard LED white 1x Standard LED red

Plastic

Color: Black

Material reflector: Plastic Protection class:

Battery: 3x AAA (including) Dimensions: 95 x 17 mm Weight: 66 grams

approx. 30.000 hours Lifetime of LED:



05

PROFESSIONAL PLUS STANDARD

Power LED Penlight PJ23



0,5 Watt Power-LED

Lighting range 16 meters

 $\left(\cdot \right)$ Fluorescent time approx. 4 hours*

Ł Impact resistant

Splash-water proof IP 54

- MIN Backside switch

With metal clip

* All data according to ANSI FL1-method of test



Technical Details

Dimensions:

3 Watt CREE® white XP-E LED Illuminant: Material housing: Aluminium, anodized Color: Black

Material reflector: Aluminium Protection class: IP 54 1x AA (including) Battery:

Weight: 51 grams Lifetime of LED:

approx. 30.000 hours

99 x 25 mm



Power LED Hand Working Lamp PJ-AL220



Luminosity 220 lumen*

4x 0,5 Watt SMD Power-LED

Light angle 100°

Lighting range 5 meters

Fluorescent time approx. 3 hours*

3,7 V Lithium ions battery, rechargeable

Charging period approx. 4 hours

4 Usable as powerbank

■ Magnetic tilt foot

Impact resistant

10 year functional guarantee on LED

Technical Details

Illuminant: 4x 0,5 Watt SMD LED

Material housing: Plastic Color: Black Material reflector: Plastic

Battery: 3,7 V Lithium ions battery, rechargeable Capacity: 1.800 mAh

Dimensions: 60 x 25 x 120 mm
Weight: 150 grams
Lifetime of LED: approx. 30.000 hours

Power Unit: $100-240 \text{ V} \sim 50/60 \text{ Hz } 0,3 \text{ A (including)}$

Car Charger: 12-24 V (including)

220 lumen luminosity











07 **398250**

¹ Practical example. Mobile phone not included.

^{*} All data according to ANSI FL1-method of test





Power LED Workshop Lamp PJ-AL250



Luminosity 250 lumen*



6x 0,5 Watt SMD Power-LED 1x 1,0 Watt Standard LED



Light angle 100°



Lighting range 7 meters



Fluorescent time approx. 3 hours*



Charging period approx. 4 hours



Magnetic tilt foot and two magnets at the back



Impact resistant



10 year functional guarantee on LED





250 lumen luminosity

PROLUMAX





Technical Details

6x 0.5 Watt SMD LED. 1x Standard LED Illuminant:

Material housing: Plastic Color: Black Material reflector: Plastic

Battery: 3,7 V Lithium ions battery, rechargeable

2.200 mAh Capacity: 65 x 45 x 275 mm Dimensions: Weight: 315 grams Lifetime of LED: approx. 30.000 hours

Power Unit: 100-240 V ~ 50/60 Hz 0,4 A (including)

12-24 V (including) Car Charger:











^{*} All data according to ANSI FL1-method of test

Discover our product range

Request our catalogs from our sales department via E-mail under sales@projahn.de, via fax under 0.800 / 22.44.888 or via phone under 0.74 / 0.9666 - 0.9666 and discover the diversity of our product range.

Precision Tools



Hand Tools



Your PROJAHN Retailer

Performance specifications, features, pictures, lists, dimensions, and weight of products may change in the course of technical development and due to adaptions to our customers' needs without any obligation or prior notice. There is no obligation to change earlier deliveries accordingly. We are entitled to remove items from our product range. The offers in this promotion leaflet are not combinable with others. Sales only through specialist trade. Errors and omissions as well as color variations excepted. © 2018 PROJAHN Präzisionswerkzeuge GmbH Germany. You may find further information at www.projahn.de

PROJAHN-Promotion valid from 1st October 2018 to 30th September 2019 or rather revocation or publication of a new promotion leaflet. All promotion prices plus the current rate of VAT

