- QUALITY
- SERVICE
- RELIABILITY



# AUTUMN/WINTER 2020/2021

COMPETENCE IN PRECISION TOOLS AND HAND TOOLS



## **TOOL TROLLEYS**



PROFESSIONAL PLUS STANDARD

## Tool Trolley without equipment

- UNIVERSE

- ► Modern and dynamic design due to strong and clear lines
- Four-level safety concept
  - High work safety avoids overturning: only one drawer at a time may be opened
  - Individual drawer locking prevents unintentional opening
  - Max. stability due to two wheels with 360° full break system
  - Anti-steal protection: central locking system

- ► Excellent storage:
  - 7 drawers, 2x 154 mm and 5x 75mm height
- ► Outstanding reachability of the tools due to 100% fully extendable drawers
- ► Ergonomic and stable handle
- ► Easy moving due to supersized premium wheels
- ► Durable oil and acid-resistant casters



## **TOOL TROLLEY ACCESSORIES**

PROFESSIONAL PLUS STANDARD

## Tool Trolley Accessories

## UNIVERSE



#### **Tool Trolley Top Case**

- ► Ideal capacity expansion for all tool trolleys UNIVERSE more storage for tools and working equipment
- ► Anti-steal protection: central locking system
- Tough: highly stable, ball-bearing drawers, each loadable up to 45 kg
- ► Multifunctional expandable with accessories due to square-perforated sheet metal wall
- ► Four-level safety concept
  - High working safety due to double tilt protection
  - Individual drawer locking prevents unintentional opening
  - Only one drawer can be opened simultaneously
  - Attachment can be fixed on the trolley with safety hooks
- ► Suitable for up to 12 tool inlays





Material: Material Thickness: Colours: Dimensions: Drawers: Max Capacity per Drawer:

Dimensions Drawers inside (WxD):

Steel plates, powder-coated 0.9 - 1.0 mm Blue, Red 475 x 840 x 430 mm

45 kg 4x 75 mm 560 x 395 mm

#### **E-Power Power Strip 240V**

- ► Optional extension for UNIVERSE tool trolley
- ► 2x 240 V sockets suitable for electrical machines, chargers, tablets, laptops etc.
- ► 2x USB charging ports for smartphones etc.
- ► With ON/OFF switch including protection against unintended activation
- ► Inclusive 5 m power cable and cable holder







#### **Other Accessories**

► Stable work top made from ABS (1)

Attachments for lateral square perforation (2 – 5)

Description	ArtNo.
1 Work top	6 503-902
2 Can Holder for four cans	5 503-203
3 Recycle Bin	5 503-208
4 Multifunctional Storage	5 503-207
5 Paper Roll Holder	5 503-209

Application example, equipment not included.

## **TOOL TROLLEY COMPLETE**



#### PROFESSIONAL PLUS STANDARD

## Tool Trolley COMPLETE

## UNIVERSE





- ► Special edition "COMPLETE"
  - Incl. tool trolley UNIVERSE
  - Incl. tool trolley top case UNIVERSE
  - Incl. E-Power 240V power strip
  - Incl. 415 pcs. equipping for 8 drawers incl. colour bit box Art-No. 4094

















### Equipping for 8 drawers, 415 pieces

[5999-111 + 5999-131 + 5999-371] + [5999-191 + 5999-431 + 5999-151] [5999-011 + 5999-321 + 5999-021] + [5999-351 + 5999-341 + 5999-355] [5999-071 + 5999-073 + 5999-391] + [5999-082 + 5999-091 + 5999-161] [5999-171 + 5999-331 + 5999-101] + [5999-181 + 4094]







Can Holder for four cans Paper Roll Holder



E-Power 240V Power Strip

#### **Tool trolley GALAXY COMPLETE**

incl. tool equipment, top case and accessories





Application example, equipment not included. **PROFESSIONAL** 

## **Rotary Hammer Drill Bits**



## TROCKETIS WIROCKETIS

➤ Special shaped drill head with 5 crushers sets new standards in terms of lifetime

Especially for reinforced concrete

 Demolition effect for highly effective destruction of the material

> Maximum drilling speed



#### **Highest Precision**

- 5 crushers allow drilling of precise holes
- Low vibration while working



#### **Maximum Speed**

- 3 crushers achieve a maximum of drilling speed
- At least 20 % time saving compared to similar products



## Perfect Suitable for Reinforcements

- Protection against reinforcement prevents jamming
- Wear marks show if the tool is still suitable for drilling dowel-compatible holes



#### Simple Handling

- Wear marks show the suitability for drilling dowel-compatible holes
- Pilot drill for accurate drilling without slipping off
- Patent pending for innovative drill tip geometry




## **Extremely Durable**

- 4-flute geometry increases lifetime
- Evenly spread wear



#### **Long Tool Life**

- Broad spiral back
- Core reinforced flute
- Extra large-volume spiral





Reinforced



Concrete



Masonry



Natural

#### **Characteristics**



Durabla



Precise



Powerful



ul Low Vibra

#### Shank

 Available in SDS-plus and SDS-max

#### Range of Application





Masonry



Nat

#### **Characteristics**



**+8+** 

-1

Powerful Low Vibration

#### Shank

 Available in SDS-plus



# Rotary Hammer Dill Bits with 4 cutting edges





SDS-plus

5-pack with hanger PIECES

					The state of the s	
Ø mm		L2				Art. No.
6,0	110	50			A	83 06 110 45
6,5	210	150	100	£ 1983		8 30 65 210 45
8,0	210	150				83 08 210 45
10,0	210	150	w 60 2 3		BOS A	83 10 210 45
12,0	210	160				83 12 210 45
14,0	210	160				83 14 210 45

## 10-pack with hanger PIECES


Ø mm		L2	Art. No.
6,0	160	100	83 06 160 410
8,0	160	100	83 08 160 410
10,0	160	100	83 10 160 410
12,0	160	110	83 12 160 410
14,0	160	110	83 14 160 410




#### Rotary Hammer Drill Bit Set

Ø 6 x 110 mm Ø 6 - 8 - 10 - 12 x 160 mm **5 pieces** in plastic box

83046







#### Rotary Hammer Drill Bit Set

Ø 5 - 6 - 8 x 110 mm Ø 6 - 8 - 10 - 12 x 160 mm

83744

SDS-max

#### Single packaging with hanger

Ø mm		L2	Art. No.
14,0	540	400	814 540
16,0	340	200	816 340
16,0	540	400	816 540
18,0	340	200	818 340
18,0	540	400	818 540

#### Single packaging with hanger

Ø mm		L2	Art. No.
20,0	520	400	820 520
22,0	520	400	822 520
24,0	520	400	824 520
25,0	520	400	825 520
28,0	570	450	828 570

**PROFESSIONAL** 

# Rotary Hammer Drill Bits with 2 cutting edges





SDS-plus

10-pack with hanger PIECES

Ø mm		L2	ArtNo.
6,0	110	50	83 06 110 10
6,0	160	100	83 06 160 10
8,0	110	50	83 08 110 10
8,0	160	100	83 08 160 10
8,0	210	150	83 08 210 10
8,0	260	200	83 08 260 10
10,0	160	100	83 10 160 10
12,0	160	110	83 12 166 10
14,0	210	160	83 14 216 10
	and the same of th	Professional Control	



## **Rotary Hammer Drill Bit Set**

Ø 6 x 110 mm Ø 6 - 8 - 10 - 12 x 160 mm **5 pieces** in plastic case

83045

Rotary Hammer Drill Bit Set

Ø 5 - 6 - 8 x 110 mm Ø 6 - 8 - 10 - 12 x 160 mm


83730





Rotary Hammer Drill Bit Sets, 7-pcs.





## **Self-cooling Diamond Drill Bits**

Perfect for extreme hard tiles, ceramics and porcelain stoneware

- ► Wax filling in the drill bits
- ► Self-cooling, as the wax liquefies during drilling
- ► Fast drilling progress and long life
- ► No contamination by coolant

- Two different shank versions available
- ► Hexagonal shank for 3-jaw chuck
- M14 threaded shank for angle grinder
- ► For the rotating application no impact drilling!



## **Diamond Drill Bit Set**

2-in-1

Self-cooling diamond drill bits Ø 6 - 8 - 10 - 14 mm Concrete drill Ø 6 - 8 - 10 - 14 mm Adapter hex on M14

9 pieces in MAMBO box



59401



#### **Diamond Drill Bit Set** 3-in-1

Self-cooling diamond drill bits Ø 6 - 8 - 10 mm Concrete drill Ø 6 - 8 - 10 mm Centering aid Ø 6 - 8 - 10 - 12 mm

7 pieces in MAMBO box



59803





#### Adapter hex on M14

To use the diamond drill bit with M14 threaded shank in a 3-jaw chuck

59499

#### **Self-cooling Diamond Drill Bits**

Single packaging with hanger

		hex shank
Ø mm	ArtNo.	
6,0	59 806	
8,0	59 808	
10.0	59 810	

	W14 threaded Shalik
Ø mm	ArtNo.
6,0	59 406
8,0	59 408
10,0	59 410



PROFESSIONAL PLUS STANDARD

## **Multi Purpose Drill Bit**

- ► Extra sharp carbide tip for precise drilling in various materials
- ▶ Designed to drill: masonry, tiles, wood, plastic, metal and material combinations
- ► High flute volume for fast transport of drilling dust and
- ► For the rotating application no impact drilling!



with straight shank Ø 4 - 5 - 6 - 8 - 10 mm

6 pcs. in plastic case

























## **Hollow Core Bits**

- ► Hollow core bit with 8 carbide teeth
- ► Designed to drill: lightweight concrete, masonry, hollow bricks and sand-lime bricks
- ► Optimal tool for plumbers, heating engineers, electricians, etc.

#### **Hollow Core Bit-Set**

Hollo Core Bit 68 mm and 82 mm including SDS-plus and hex shank and two centering drill bits

54100

6 pcs. in high-quality case



Hollo Core Bit 68 mm SDS-plus shank and centering drill bit

54166

3 pcs. on clip holder

Hollo Core Bit 82 mm SDS-plus shank and centering drill bit

54180

3 pcs. on clip holder

3 PIECES



#### PROFESSIONAL PLUS STANDARD

## **Chisel ECO**





Big pack

Description	L	W	pcs./PU	ArtNo.
Pointed chisel	250		10	84 106 250 210
Flat chisel	250	20	10	84 206 250 210
Spade chisel	250	40	10	84 406 250 210



Description Pointed chisel

Flat chisel

Spade chisel

#### **SDS-max**

10

10

10

	Dig pack
J	ArtNo.
	84 170 400 210
	84 270 400 210

84 470 400 210

#### Set SDS-plus 250 mm

Pointed chisel 250 mm **99956** Flat chisel 250 x 20 mm

400

400

400

25

Spade chisel 250 x 40 mm

3 pcs. in twist pack

#### Set SDS-max 400 mm

400 mm 844002 Pointed chisel 400 x 25 mm Flat chisel Spade chisel 400 x 50 mm

3 pcs. in twist pack



## **MEASURING TOOLS AND STEEL**

**PLUS** 

## **Spirit Levels**



- ► Easy frontal reading of the vertical vial, even in tight spaces
- ► Robust tool, long tool life time
- ► Ergonomic working
- ► Tolerance: 0.5 mm/m

# Easy reading in narrow spaces

- ▶ 1.5 mm profile strength
- Precise measurement results even with long lengths
- ► Shock absorbing end caps prevent damage when falling

## Spirit levels with vertical mirror vial

► Two built-in vials, incl. additional patented "Plump Site" Dual View

## Spirit levels with vertical mirror vial and magnets

► Easy to work with because spirit levels hold magnetic on metallic surfaces





ArtNo.	Length	
2976-030	30 cm	
2976-040	40 cm	
2976-060	60 cm	
2976-080	80 cm	
2976-100	100 cm	
2976-120	120 cm	
2976-150	150 cm	
2976-180	180 cm	
2976-200	200 cm	

ArtNo.	Length	
2976-031	30 cm	
2976-041	40 cm	
2976-061	60 cm	
2976-081	80 cm	
2976-101	100 cm	

NAL PLUS STANDARD

## Mini spirit level 10 cm

- ► Shock-absorbing end caps prevent damage when falling down
- ► Tolerance: 0.5 mm/m





PROFESSIONAL PLUS STANDARD

## Step Drill with Spiral Groove - Set

- ► Burr free and vibration free drilling, no centring required, the drills do not run off centre
- ► High running smoothness and superior cutting performance
- ► Spiral flute characteristic, effected longer tool life
- ► Tapered cutting edges of the next drill step can be used for deburring (simultaneously) or chamfering of the finished bore at the same time

Sz 1 Ø 4 - 12 mm Sz 2 Ø 6 - 20 mm Sz 3 Ø 6 - 30 mm incl. 1 x cutting paste

4 pieces in plastic case

HSS-G 76811

HSS-Co 5% 76911













SSIONAL PLUS STANDARD

## **Twist Drill Bit Sets DIN 338**













Ø 1 - 10 / 0.5 mm increasing



Ø 1 - 13 / 0.5 mm increasing



**ROLLFORGED** 

**GROUND** 

HSS-Co 5%

COBALT-**ALLOYED** 



in sheet steel kit



19 PIECES

High break resistance

60003 **BASIC** 

High precision and speed

60315 ECO

Perfect for stainless steel

60381 ECO



25 PIECES

60007 **BASIC** 

67003 ECO

60375 ECO

60386 **ECO** 

in plastic case



25 PIECES

67007 ECO

67315 ECO

67375 ECO

67381

**ECO** 

67386

ECO

## The Twist Drill Bit TURBO

#### The Twist Drill Bit with the TURBO Tip

- ► Special taper shape A and 118° tip angle ensure high drilling speed
- ► Immediate centering without center-punch
- ► For steel up to max. 900 N/mm², cast iron, graphite, bronze, brass and aluminium

► According to DIN 338

67314





rofessional PLUS standard

## **Twist Drill Bit Boxes DIN 338**







**HSS-G** 









10x & 1 - 8 / 0.5 mm incr.,5x Ø 8.5 – 10 / 0.5 mm incr.



 $10x \varnothing 1 - 8 / 0.5 \text{ mm incr.},$ 10x Ø 3.3 + 4.2 mm. 5x Ø 8.5 – 13 / 0.5 mm incr.



**ROLLFORGED** 



**GROUND** 



HSS-Co 5%

COBALT-**ALLOYED** 



in sheet steel storage box



High break resistance

60600 **BASIC** 

High precision and speed

60615 ECO

Perfect for stainless steel

60613 ECO



60700 **BASIC** 

60715 ECO



## **Thread Cutting Tools**


#### **Combined Tool Set**

Drilling core holes, thread cutting and deburring with only one tool

Ø3-4-5-6-8-10 mm M3 - M4 - M5 - M6 - M8 - M10 1 Bit Holder

7 pieces in sheet steel kit

91019



- 1 Drilling Core Hole
- 2 Thread Cutting
- **3** Deburring



#### DESSIONAL PLUS STANDARD



consisting of 910135 + 91015



#### **Circular Dies Set**

7 circular dies HSS-G DIN 13 M3 - M4 - M5 - M6 - M8 - M10 - M12 1 die stock 25 x 9 mm

8 pcs. in high-quality MAMBO box "S" 91015

#### Content similar to 91013

15 pcs. in plastic case 910135

#### **Thread Cutting Tool Set**

7 short machine taps HSS-G DIN 352 for machine and hand use

M3 - M4 - M5 - M6 - M8 - M10 - M12

**1 tap wrench** no. 1 1/2

7 Core drill bits

Ø 2.5 - 3.3 - 4.2 - 5 - 6.8 - 8.5 - 10.2 mm

15 pcs. in sheet steel kit





## **Thread Cutting Tools**

#### **Machine Tap Set**

7 machine taps for blind and through holes

M3 - M4 - M5 - M6 - M8 - M10 - M12

7 Core drill bits

Ø 2.5 - 3.3 - 4.2 - 5 - 6.8 - 8.5 - 10.2 mm

14 pcs. in grip box



= Through hole



= Blind hole

91030

91040

HSS-G



91031

91041







91004

# 44 PIECES

#### **Thread Cutting Tool Set**

21 Hand taps DIN 352

1 set each (3 pcs.) M3 - M4 - M5 - M6 -

M8 - M10 - M12

7 Circular Dies DIN EN 22568 M3 - M4 - M5 - M6 - M8 - M10 - M12

2 Tap Wrenches No. 1 + 2

7 Core Drills 2.5 - 3.3 - 4.2 - 5.0 - 6.8 -

8.5 - 10.2

1 Screwdriver Art.-No.: 91508

1 Screw Pitch Gauge Art.-No.: 915091

44 pcs. in sheet steel storage box

### **Thread Cutting Tool Set**

33 Hand taps HSS DIN 352

1 set each (3 pcs.) M3 - M4 - M5 - M6 - M8 - M10 - M12 - M14 -

M16 - M18 - M20

11 Circular taps HSS-G DIN 223 B

each 1 M3 - M4 - M5 - M6 - M8 - M10 - M12 - M14 - M16 - M18 - M20

6 Die Holders

1 pcs. each 1 20 x 5 - 20 x 7 - 25 x 9 - 30 x 11 - 38 x 14 - 45 x 18

3 Tap wrenches

1 pcs. each No. 0 - 1 1/2 - 4

1 Screwdriver 91508

1 Screw Pitch Gauge Art.-No.: 915091

55 pieces in plastic case







# Accessories for Oscillating Multipols STARLOCK



- ► The versatile applicable multi tools are perfectly suitable for work in difficult to access areas
- ► U shape saw blades with rounded cutting edges ensure an optimal plunge behaviour and clean precise cutting
- ► Find the right tool for the working material with the help of the color guide mark
- ► Quick one handed tool change in only three seconds









## Sabre Saw Blades









Teeth/Inch: 6

64296



PW30060

PROJAHN Made in German



Extra long blade for wood

PW30060

Cutting length: 280 mm Teeth/Inch: 6 Similar to: S1344D

64111



PROJAHN Made in Germany PW15060

For all types of wood

PW15060

Cutting length: 130 mm Teeth/Inch: 6 Similar to: S644D 64101



Perfect for Porous materials

PU30520 PROJAHN Made in German

PU30520

Cutting length: 280 mm Teeth/Inch: 2 Similar to: S1243HM

64311

PU45520

Cutting length: 430 mm Teeth/Inch: 2 Similar to: S2243

64312

**PIECES** 

Optimal for stainless steel PM25014Bi PROJAHN Made in Germany

Sabre Saw Blades 20 pcs.









1 PIECES

PM 15014 Bi Sutting length: 130 mm eth/Inch: 14

Similar to: S922BF

6423220

PM20014 Bi

Cutting length: 180 mm Teeth/Inch: 14 Similar to: S1122BF

6423320

PM 25014 Bi

Cutting length: 230 mm Teeth/Inch: 14

6423420

64232

64233



## **Jigsaw Blades**







High speed and long life



Cutting length: 90 mm Tooth Pitch: 2.5 mm Similar to: T234X



5 PIECES

PM5512

PROJAHN Ge





PM5512

Cutting length: 55 mm Tooth Pitch: 1.2 mm Similar to: T118A



PM5512Bi

**PROJAHN** 

Made in Germany



Optimal for stainless steel

PM5512Bi


Cutting length: 55 mm Tooth Pitch: 1.2 mm Similar to: T118AF



PROFESSIONAL PLUS STANDAR

## **Jigsaw Blade Set**

- ► Universal assortment to use in wood, plastic and metal
- ► Suitable for all common jigsaws





#### PROFESSIONAL PLU

## **Bi-Metal Hole Saw Set**

#### Allround +

Ø 19 - 22 - 25 -29 - 32 - 35 -

44 - 51 - 57 -

60 - 68 - 76 mm 2 x hexagon adapter

**14 pcs.** in high-quality



case





PLUS

## **Multi Carbide Tipped Hole Saw**



**Hole Saw Set** 

Ø 19 - 22 - 25 - 32 - 35 - 40 - 44 - 51 -57 - 64 - 68 - 76 mm including Quick-Lock adapter up to 30 mm, Quick-Lock adapter 32 - 210 mm, 1x CB-+ 1x HSS - center drill and hex key wrench

**17 pcs.** in high-quality

ESSIONAL PLUS STANDARD

## **Twist Drill Bits for Wood**

- ► Center point and two shouldered cutting edges ensure pin point center-drilling and precise bore holes
- ► Suitable for softwood, plywood, chipboards and plastic

#### **ECO**

Ø 3 - 10 mm / 1 mm inc. 8 pcs. in plastic case

67040



PLUS

## **Forstner Bits**

- ► For exact and splinter-free drilling in wood
- ► Center point, two cutting edges and raised lips
- ► Reduced straight shank
- ► To be used in drilling machine
- Designed to drill: Hard wood, soft wood and veneered wooden board

**ECO** 

Ø 15 - 20 - 25 - 30 - 35 mm

**5 pcs.** in wooden case

33001-1

**ECO** 

Ø 10 - 12 - 15 - 16 - 18 - 20 - 22 - 25 - 26 - 28 - 30 - 35 - 40 - 45 - 50 mm

15 pcs. in wooden case

33002-1



PROFESSIONAL PLUS STANDARD

## **Auger Dill Bit Set TYPE LEWIS**

- ► Self-retracting thread tip enables precise drilling
- ► Precise and splinter-free drilling through precutter
- ► For all types of wood
- ► Shape LEWIS helix for fastest chip removal

All equipped with: Ø 10 - 12 - 14 - 16 - 18 - 20 mm

6 pcs. in wooden case

Cutting length: 230 mm

Cutting length: 320 mm

19501

99979

Cutting length: 460 mm







professional PLUS standard

## 1/2" Tyre Change Bundle

- ► Mechanical one-direction torque wrench (clockwise)
- ► Torque range: 40 200 Nm
- ► Audible and palpable automatic close-gap release
- ► Non-slip, ergonomic handle

- ► Safety button to lock the adjustment ring
- ► Incl. calibration certificate according to DIN EN ISO 6789:2003

394260-BUNDLE





- 1 torque wrench TORQUE-PROFI 1/2" 40 200 Nm
- 6 sockets 1/2" 17 19 21 22 24 27 mm
- 4 bit sockets HEX 6 8 10 12 mm
- 3 deep impact sockets for aluminium rims 17 19 21 mm

FESSIONAL PLUS STAND

## 1/2" Stud Extractor Set

#### For Stud Bolts, Hanger Bolts and Threaded Rods

- ► For thread-conserving installation and removal of stud bolts, threaded rods and hanger bolts
- ► No damage to the thread in comparison to welding on auxiliary materials or using pliers
- ► Turning without laboriously locking two nuts on the bolt
- ► Safe hold due to three internal rolls
- ► Use with square 1/2" or 21 mm wrench
- ► Suitable for sizes M6, M8, M10, M12



IAL PLUS STANDARD

## **Socket Sets**

#### 1/4" + 1/2" Socket Set

- ▶ 108 tools (metric) in impact-resistant plastic case
- ► High-quality, ergonomic 1/4" and 1/2" reversible ratchets with rough or fine toothing
- ► Sockets 4 32 mm and E-TX sockets E4 E22
- ▶ 1/4" bit sockets for all main applications



48-Tooth-Ratchet

8653

72-Tooth-Ratchet

8654







#### 1/4" Socket Set

- ▶ 46 tools (metric) in impact-resistant plastic case
- ► High quality, ergonomic 1/4" reversible ratchet with rough or fine toothing
- ► Sockets 4 14 mm

#### New, attractive design



48-Tooth-Ratchet 8651 72-Tooth-Ratchet 8652









WxLxH: 250 x 160 x 55 mm Weight: 1.250 g

PROFESSIONAL PLUS STANDARD

## **Socket Sets**

#### 1/4" + 3/8" + 1/2" Socket Set

- ▶ 182 tools in impact-resistant plastic case
- ► Clear and well structured arrangement of the tools
- ► Sockets 4 32 mm and E-TX sockets E4 E24
- ► High-quality, ergonomic 1/4", 3/8" and 1/2" reversible ratchets with rough or fine toothing
- ▶ 1/4" bit sockets for all main applications
- ► Sockets made of CrV steel

All important sockets and bits in one set

#### **Improved tool quality**



WxLxH: 460 x 335 x 110 mm Weight: 8.500 g



1/4" 6.3 3/8" 10 1/2" 12.5 48-Tooth-Ratchet 8663

PROJAHN

72-Tooth-Ratchet 8664



#### 1/4" + 1/2" Universal Tool Case

- ► Extensive equipment
- ► Attractive and high-quality plastic case
- ► Ratchet with ergonomic 2K handle for secure support and fatigue-free work
- ► Combination wrench 8 19 mm, hammer, sockets 4 - 24 mm and high-quality bit box
- ▶ Pliers, screwdrivers, hex keys etc. for almost every application

Ideal for caretakers and building technicians

48-Tooth-Ratchet 8665 72-Tooth-Ratchet 8666









PLUS STANDARD

## **Tool Cases and Trolley**



- ► High quality tool assortments for universal use
- ► Clearly assembled tools

- ► All tools are securely fixed
- ► Stable, break-proof and lockable case

















8682

3/8"















PROFESSIONAL PLUS STANDARD

## **Category Tool Cases**



- ► Foldable tool board for convenient space concept
- ▶ Durable hinges

- ► Stable, break-proof and lockable case
- ► Content adjusted to the needs of each user category







1/4" 6.3 1/2" 12.5 8683

W 460 x L 330 x H 145 mm; Weight 10.100 g



CARPENTER



8684



W 460 x L 330 x H 145 mm; Weight 13.400 g



PLUMBER

1/4" 6.3 12.5 1/2" 8685



## 1/4" Mini Socket and Bit Box






- ▶ 38 pieces in a compact and stable box
- Easy extraction of the bits due to tilt mechanism
- ► SINGLE-HAND click lock for easy opening and closing
- ► Colour ring helps to find the right bit easily





## 1/4" Colour Bit Box

- ► Modern and attractive box design
- ► SINGLE-HAND click lock for easy opening and closing
- ► With heavy-duty mini bit ratchet
- ► Colour ring helps to find the right bit easily
- ▶ Bits made of high quality S2 special steel, ideal for professional users
- ► Better fitting accuracy and special hardening Extra long life and high quality screwing



7 🖲 T10 - 15 - 20 - 25 -27 - 30 - 40 27 - 30 - 40

🗩 T10 - 15 - 20 - 25 -1 Magnetic Bit Holder 1/4", Mini Ratchet 1/4", Adaptor 1/4" x 1/4"



## 1/4" SINGLE-HAND Magnetic Bit Holder

- ► SINGLE-HAND quick release button for SINGLE-HAND use
- ► Long lifetime and high resistance due to high quality manufacturing
- ► With extra strong magnet even heavy screws stick to the bit
- ► Slim design ideal for narrow working areas
- ► Quick and easy change of the bits only with one hand





2772 and 2773
with movable
centering sleeve

Length	Art. No.	
65	2771	
150	2772	
350	2773	

## **BITS AND BIT BOXES**



#### PROFESSIONAL PLUS STANDARD

## 1/4" STAR Bits

- ► PROJAHN STAR bits:
- ► Safe high level of fracture and work safety
- ► Torsion Perfect to use in impact drilling machines
- ▶ Resistant extreme resistance to wear due to combination of S2 steel and zirconium nitride coating
- ► Anti-slip the micro-rough surface minimises the cam-out effect
- ► PROJAHN **STAR** bits are much better than common bits compared to:
  - torque transmission
  - lifetime
  - wear and tear resistance
  - · abrasion strength
  - minimizing of cam out effect











## 1/4" Bit Magnetizer

- ► For simple and quick magnetizing of bits
- ► Suitable for bits 1/4" from 50 mm and longer
- ► Magnetization takes place through simple putting on the bit
- ► Also usable with hex keys and screwdrivers







## 1/4" Bit Socket Set

- ► For damage-free screwing of hexagonal screws
- ► With permanent magnet steel screws stick to the insert
- ► Suitable with any standard cordless drilling machine due to 1/4" hexagonal shank
- ► Set contains all common inserts
- ► In metric or inch sizes available
- ► 3784-93 in high-quality, transparent box



Description	Content	Packaging	ArtNo.	
Set, 4 pcs.	7 - 8 - 10 - 13	Plastic hanger	3784-91	
Set, 3 pcs.	1/4" - 3/8" - 5/16"	Plastic hanger	3784-92	
Set, 8 pcs.	5.5 - 6 - 7 - 8 - 10 - 12 - 13 - 17	Plastic box	3784-93	

## **Blind Rivet Tools**

#### **PROFI Blind Rivet Pliers**

- ► PROFI hand riveter for blind rivet processing of the diameters 2.4 / 3.0 3.2 / 4.0 / 4.8 5.0 mm
- ► Suitable for all blind rivet materials
- Ergonomic, spring-mounted and highly stable lever arm made of Cr-Mo steel
- ► Including mouth pieces



Hardened clamping jaws





#### **PROFI Blind Rivet Pliers Set**

- ► Handy and practical hand riveter set
- Consisting of hand riveter 398060 and 15 pieces of aluminum blind rivets of each diameter 2.4 / 3.2 / 4.0 / 4.8 mm
- ► In high-quality and stable metal case



#### **PROFI Lever Blind Rivet Pliers**

- ► PROFI lever blind rivet pliers for blind rivets processing of the sizes 3.2 6.4 mm
- ► Lever arms in high quality steel with ergonomic and non-slipping handles
- ► Hardened alloy steel jaws suitable for all blind rivet materials
- ► Lever-arm mechanism for effortless power transmission easy and gentle blind rivet processing
- ► Removable collecting vessel
- ► Including mouth pieces 3.0 3.2 / 4.0 / 4.8 5.0 / 6.4 mm

# Removable collecting vessel 398062







#### **PROFI Blind Rivet Adapter**

- ► PROFI blind rivet adapter for blind rivet processing with cordless screwdrivers and drilling machines
- Very fast and fatigue-free setting of blind rivets
- ► High quality and non-slipping metal body
- ► For blind rivet processing of diameters 2.4 5.0 mm (398063) or 3.0 6.4 mm (398064)
- ► Including coloured mouth pieces for fast finding of suitable sizes



without handle

2.4 - 5.0 mm

398063

Aluminium

3.0 – 6.4 mm



Stainless Steel Ø 3.0 – 5.0 mm 398064

Aluminium





PROJAHN Präzisionswerkzeuge GmbH

## **Blind Rivet Nut Tools**

#### 398080

#### **PROFI Blind Rivet Nut Pliers Set**

- ► PROFI blind rivet nut pliers for blind rivet nut processing with a diameter of M3 - M6
- ► Ergonomic, spring-mounted and highly stable lever arm made of Cr-Mo steel
- ► Suitable for all riveting materials
- ► Easy changing of the mandrels
- ► Incl. mandrels and mouth pieces M3, M4, M5 and M6

Small, ergonomic opening angle











#### **PROFI Lever Blind Rivet Nut Pliers Set**

- ► PROFI lever blind rivet nut pliers for blind rivet nut processing from M4 - M10
- ► Practical set consisting of lever blind rivet nut pliers and 20 aluminium blind rivet nuts for each size
- ► Suitable for all riveting materials
- ► Including mandrels and mouthpieces









398081

#### **PROFI Blind Rivet Nut Adapter**

- ► For blind rivet nut processing with cordless screwdrivers or drilling machines
- ► Compatible to all conventional drill chucks
- ► For blind rivet nut processing of the sizes M3 M6 (398082) as well as M6 - M10 (398083)
- ► Suitable for all riveting materials
- ► With high-quality and non-slipping metal body for gentle work
- ► Including mandrels and mouthpieces











398082







## **SCREWDRIVERS AND WORKING LAMPS**

#### PROFESSIONAL

## **Hex Key Set**

- ► In ball point integrated magnet (from 3mm) steel screws stick to the magnet
- With ball point -Screwing also possible with angular application
- ► Non-slip surface for better grip
- High quality S2 steel ensures low wear and high stability combined with flexibility

1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10 mm,

9 pcs. in clip holder



#### professional PLUS standard

## 31-in-1 Precision Bit Screwdriver Set

- ▶ 31-in-1 All important precision bits in one set
- ► Optimal for fine, delicate applications in electronics, precision mechanics, car, hobby and model construction
- ► Space-saving box with clever bit removal concept
- 7 🛖 1 1.5 2 2.5 3 3.5 4 mm
- 4 PH 000 0 0 1
- 2 😝 PZ 0 1
- 9 **(\*)** TX4 5 6 7 8 9 10 15 20
- 8 **(a)** 0.7 0.9 1.3 1.5 2 2.5 3 4 mm
- 1 Precision bit screwdriver



#### PROFESSIONAL PLU

# LED Flashlight PJ500



# LED Work Lamp PJ-AL250

- ► High power LED workshop lamp
- ▶ 10 year guarantee on LED function
- ► Addtional front LED for enlighting deep areas
- ► Additional two magnets on backside
- ► Incl. 110-240 V AC adapter
- ► Switch easy to use even with gloves
- ► Rechargeable





\* All data according to ANSI FL1-method of test

## **TOOL TROLLEYS**

PROFESSIONAL PLUS STANDARD

## Tool Trolleys without equipment

#### The Clever Professional Tool Trolley

- ► Huge capacity due to seven drawers and additional two side doors with several storage compartments
- ► Larger work and shelf space and more room for your tools
- ▶ Only-One-Drawer-System: only one drawer at a time may be opened
- ► Very high stability and torsional rigidity due to double wall construction with a static overall load of up to 500 kg

Material Thickness: Colour: Height x Width x Depth:

Material:

Steel plates, powder-coated 0.8 - 0.9 mm Blue/Anthracite 990 x 910 (990 incl. handle) x 475 mm Max Overall Capacity: Roll Dimensions (ØxW): Max Capacity/Drawer: Height Drawers: **Dimensions Drawers** inside (WxD):

500 kg (static) 127 x 50 mm 40 kg 2 x 154 / 5 x 75 mm

560 x 395 mm





## Allround recommendation

Storage recommendation

## GALA

**SPACE** 

<u>PROJAHN</u>

40 kg drawer load capacitiy

#### The Expressive Professional Tool Trolleys

- ▶ Robust frame construction and overall capacity up to 450 kg
- ► Distinctive, clear lines and high-gloss wheels
- ► Expandable with top case available in 3 colours
- ▶ Only-One-Drawer-System: only one drawer at a time may be opened
- ► 40 kg drawer load capacity
- ► Stable handle, mountable on both sides

Material:

powder-coated Material Thickness: 0.8 mm

Red/Anthracite, Blue/Anthr., Black/Silver Height x Width x Depth:

127 x 50 mm Roll Dimensions (ØxW): Max Overall Capacity: 450 kg (static) 40 kg 2 x 154 / 5 x 75 mm Max Capacity/Drawer: Height Drawers: Dimensions Drawers

inside (WxD):

Steel plates

980 x 678 x 459 mm

## 5501-50 5501-20 5501-10

## 560 x 395 mm

#### SSIONAL PLUS STANDARD

#### The Economic Tool Trolley

- ► Good quality and high safety
- Stable ball bearing slides
- ▶ 6 drawers with a load capacity of up to 35 kg
- ► Max. overall load capacity of up to 400 kg
- ► Only-One-Drawer-System: only one drawer at a time may be opened
- ► Wheels with full break system

## recommendation Price

Material:

Material Thickness: HxWxT: Max Overall Capacity: Roll Dimensions (ØxW): Max Capacity/Drawer: Height Drawers: Dimensions Drawers inside (BxT):

4901-50

Steel plates,

powder-coated 0.8 mm 1.010 x 678 x 459 mm 400 kg (static) 127 x 32 mm 35 kg 3 x 154 / 3 x 75 mm

560 x 395 mm



## **TOOL TROLLEY ACCESSORIES**




## **Equipment Proposals** without tool trolley







Drawer 2 5999-011 5999-321 5999-021



Drawer 3



**Drawer 1** 

5999-065 5999-341


5999-351

**Drawer 2** 5999-321

5999-011 5999-051 **Drawer 3** 

5999-101 5999-082 5999-331









#### **PROForm Inlays**

- ▶ PROForm inlays are produced by special, hard-to-break, rubber foam and provide optimal hold and protection for your tools
- ► 2-colour-system for easy classification
- ► With stable surface and high-quality carbonfinish
- ► A perfect fit for all PROJAHN tool trolleys
- ► 1/3-inlay (395 x 186 x 35 mm)
- ► Three 1/3-inlays fill up a complete drawer



**Drawer 4** 5999-511 5999-191 5999-531



Drawer 3

2 for 4 drawers 3 for 5 drawers







Art. No.

5995-024

5995-141



Drawer 2

5999-341 5999-065 5999-062

**Drawer 4** 5999-171 5999-082 5999-101

**Drawer 5** 5999-331 5999-393

### **Choose your** equipment Equipping 5995-011 1 for 3 drawers

5		
		V



## **TOOL TROLLEYS**



## Tool Trolleys with equipment

You can find further information about tool trolleys, equipment and accessories in our current flyer »PROFI Roller Cabinets«

E-Power UNIVERSE Version	171 PIECES Equipment for 3 Drawers	187 PIECES Equipment for 4 Drawers	320 PIECES Equipment for 5 Drawers
PROJAIN	6501-511 6501-111	6501-524 6501-124	6501-541 6501-141
SPACE	7901-511	7901-524	7901-541
GALAXY	5501-511 5501-211	5501-524 5501-224	5501-541 5501-241
	5501-111	5501-124	5501-141
STAR	4901-511	4901-524	4901-541

## **TOOL TROLLEYS**



## Tool Trolley with equipment 229 pcs.



Your PROJAHN Retailer

PROJAHN-Promotion valid only at participating dealers from 01. September 2020 until 28. February 2021 or rather revocation or publication of a new promotion leaflet. All promotion prices in EURO.



Performance specifications, features, pictures, lists, dimensions and weight of products may change in the course of technical development and, due to adaptions to our customers' needs, without any obligation or prior notice. There is no obligation to change earlier deliveries accordingly. We are entitled to remove items from our product range. The offers in this promotion leaflet are not combinable with others. Sales only through specialized trade dealers. Errors and omissions as well as colour variations are subject to change. On account of limited stock some articles may already be sold out.

© 2020 PROJAHN Präzisionswerkzeuge GmbH, Germany

302009PROM\_UK